




# PKS - STAINLESS STEEL CABLE MARKERS

123  
M1

123  
M2



## + INFORMATION


- + Complete marking system for cables, pipes and components.
- + Single-character and multi-character markers which can be combined on site.
- + Enhanced durability and top quality for use in extreme conditions.
- + Easy to install with steel cable ties.

## + PROPERTIES

**Temperature range**  
Extreme conditions

**Material**  
Stainless steel equivalent to AISI 316

**Print**  
embossed





+ DIMENSIONS AND PACKAGING

TYPE	DESCRIPTION	NUMBER OF CHARACTERS	LENGTH [Lmm]	HEIGHT [w mm]	SLOT WIDTH [SW mm]	QUANTITY IN PACK
PKS10006PP	single character: A-Z, and 0-9, + - / : ~ ↓	-	55	10.9	4.8	50 pcs
PKS10040*	47 mm carrier strip	6	47.0	10.3	4.8	50 pcs
PKS10060*	65 mm carrier strip	9	65.0	10.3	4.8	50 pcs
PKS10080*	87 mm carrier strip	13	87.0	10.3	4.8	50 pcs
PKS10100*	107 mm carrier strip	17	109.0	10.3	4.8	50 pcs
PKS10120*	128 mm carrier strip	20	128.0	10.3	4.8	50 pcs

\* S = slot, H = hole (e.g. PKS10040S or PKS10040H)



+ RELATED PRODUCTS




SST  
▶ PAGE 98



SSTC  
▶ PAGE 99


+ APPLICATION





123  
M2

## PKS - MULTICHARACTER STAINLESS STEEL CABLE MARKER



### + INFORMATION

- + Brushed stainless steel equivalent to AISI 316
- + Works in extreme conditions
- + Resistant to fire, water, moisture and corrosion
- + Brushed surface reduces light reflection (torch effect)
- + Mounted with cable ties, screws or rivets

### + PROPERTIES

**Temperature range**  
extreme conditions

**Material**  
AISI 316 stainless steel

**Print**  
embossed

**Packaging**  
sorted on adhesive tape






+ DIMENSIONS

TYPE	HEIGHT [mm]	LENGTH [L mm]	SLOT WIDTH [SW mm]	NUMBER OF FITTINGS	TEXT HEIGHT	MAX NO OF LINES *
PKS10	10	50, 70, 90, 110, 130	4,8	single 2 x 1	3,2 / 5,5	2
PKS19	19	50, 70, 90, 110, 130	4,8	single 2 x 1	3,2 / 5,5	3
PKS25	25,4	50, 70, 90, 110, 130	4,8	single 2 x 1	3,2 / 5,5	4
PKS32	32	50, 70, 90, 110, 130	4,8	double 2 x 2	3,2 / 5,5	4
PKS38	38	50, 70, 90, 110, 130	4,8	double 2 x 2	3,2 / 5,5	4

\* depending on the size of the font



+ MAXIMUM NUMBER OF CHARACTERS PER LINE

LENGTH	TEXT HEIGHT [5,5 mm]	TEXT HEIGHT [3,2 mm]
50	8	11
70	13	18
90	18	26
110	23	33
130	28	41



+ RELATED PRODUCTS




SST  
PAGE 98



SSTC  
PAGE 99

+ APPLICATION





123  
M2

# PKS - ENGRAVED STAINLESS STEEL CABLE MARKER



## + INFORMATION

- + Brushed stainless steel equivalent to AISI 316
- + Works in extreme conditions
- + Resistant to fire, water, moisture and corrosion
- + Brushed surface reduces light reflection (torch effect)
- + Mounted with cable ties, screws or rivets
- + Bar codes, symbols and logos can be engraved

## + PROPERTIES

**Temperature range**  
extreme conditions

**Material**  
AISI 316 stainless steel

**Print**  
laser engraved

**Packaging**  
sorted into bags







+ DIMENSIONS

TYPE	HEIGHT (mm)	LENGTH (L mm)	SLOT WIDTH (sw mm)	NUMBER OF FITTINGS*
PKS10	10	50, 70, 90, 110, 130	4,8	single 2 x 1
PKS19	19	50, 70, 90, 110, 130	4,8	single 2 x 1
PKS25	25,4	50, 70, 90, 110, 130	4,8	single 2 x 1
PKS32	32	50, 70, 90, 110, 130	4,8	double 2 x 2
PKS38	38	50, 70, 90, 110, 130	4,8	double 2 x 2

\* deep slots for nylon ties, or square holes for screws/rivits. Please specify when ordering



SINGLE (2x1)



DOUBLE (2x2)

+ RELATED PRODUCTS



SST  
PAGE 98



SSTC  
PAGE 99

+ APPLICATION

